IN THE CLAIMS

- 1 64 (*Cancelled*)
- 65. (New) Valacyclovir hydrochloride hydrate.
- 66. (New) The valacyclovir hydrochloride hydrate of claim 65, having a water content of between about 6% and about 10%.
- 67. (*New*) The valacyclovir hydrochloride hydrate of claim 66, having a water content of between about 8% and about 10%.
- 68. (New) The valacyclovir hydrochloride hydrate of claim 67, which is Form I.
- 69. (*New*) A process for making valacyclovir hydrochloride hydrate comprising the steps of:
 - a) mixing crude valacyclovir hydrochloride with water;
 - b) heating the mixture;
 - c) cooling the mixture;
 - d) further cooling the mixture;
 - e) suspending the mixture in lower alkanol;
 - f) isolating the precipitate;
 - g) drying the product of step f; and
 - h) recovering valacyclovir hydrochloride hydrate.
- 70. (New) The process of claim 69, wherein the mixture of step b is heated to a temperature of from about 35°C to about 45°C.
- 71. (New) The process of claim 69, wherein the mixture of step c is cooled to a temperature of from about 30°C to about 40°C.
- 72. (New) The process of claim 69, wherein the mixture of step e is cooled to a temperature of about -5°C.
- 73. (New) The process of claim 69, wherein the lower alkanol is isopropyl alcohol.
- 74. (New) The process of claim 69, wherein the product of step f is dried at a temperature of from about 30°C to about 45°C.

Patent Ser. No. To be assigned Docket No. 1662/59404

- 75. (New) The process of claim 74, wherein the product of step f is dried at a temperature of from about 35°C to about 45°C.
- 80. (New) The process of claim 69, wherein the product of step f is dried for a period of time of from about 1 hour to 40 hours.
- 81. (New) The process of claim 76, wherein the product of step f is dried for a period of t time of from about 1 hour to 18 hours.